

skai®



Leather Design

skai® Sarano

Nappa Feeling



Interior


Nappa Feeling



skai® Sarano

Hochwertiges **skai®** Material mit ausdrucksstarker Rindslederoptik. Der harmonische 2-Ton-Effekt verleiht dem Material eine natürliche Lebendigkeit.


High-quality **skai®** material with expressive cowhide grain. The harmonic 2-tone-effect lends the material its natural vividness.



skai® Sarano buffalo F5075020



sand F5075016




camel F5075019



natur F5075018



schoko F5075021



anthrazit F5075022



hospitality



residential

Technische Eigenschaften

Materialzusammensetzung:

ca. 1% PU-Finish

ca. 66% PVC-Compound

ca. 33% BW-Gewebe

Gewicht: 610 +/- 50 g/m², **Dicke:** 1,5 +/- 0,2 mm

Rollenbreite: 150 cm, **Rollenlänge:** 30 m



langlebig



lichtecht



reißfest



pflegeleicht



abriebfest

DIN EN ISO 5470-2: > 25.000 Martindale



EN1021-1+2, BS 5852 IS-0+1

Technical properties

Material composition:

approx. 1% PU-finish

approx. 66% PVC-compound

approx. 33% CO-fabric

weight: 610 +/- 50 g/m², **thickness:** 1.5 +/- 0.2 mm

roll width: 150 cm, **roll length:** 30 m



long-lasting



lightfast



tear-resistant



easy to clean



abrasion-resistant

DIN EN ISO 5470-2: > 25.000 Martindale



EN1021-1+2, BS 5852 IS-0+1

Anwendung / Verarbeitung

Geeignet für viele Arten von Bepolsterungen und Bespannungen im trendorientierten und exklusiven Wohnbereich, besonders geeignet für Dekokissen, Korpus- und Wandbespannungen ohne starke mechanische Beanspruchung. Ebenfalls geeignet für den Einsatz in der Taschen- und Lederwarenindustrie. Problemlose Verarbeitung nach den üblichen Verfahren (Nähen, Heften, Kleben, Nageln). Keine Lösemittelkleber verwenden!

Sonstige Hinweise

Für dauerhafte Freude an ihrem **skai**[®] Material bitte regelmäßig reinigen. Verschmutzungen durch Öle, Fette und Tinte müssen umgehend entfernt werden. Benutzen sie hierzu eine warme, milde Seifenlauge und ein Mikrofasertuch oder eine weiche Handbürste. Bitte keine Lösemittel, Chloride, Poliermittel, chem. Reinigungsmittel oder Wachspoliermittel einsetzen. Bitte beachten sie, dass Anfärbungen durch Jeans oder andere Textilien von jeglicher Herstellergarantie ausgeschlossen sind.

Besondere Hinweise

Unsere anwendungstechnischen Empfehlungen in Wort und Schrift, die wir aufgrund unserer Erfahrung entsprechend dem aktuellen Kenntnisstand weitergeben, sind unverbindlich und begründen kein Rechtsverhältnis und keine Nebenverpflichtungen aus dem Kaufvertrag. Sie entbinden den Käufer nicht davon, unsere Produkte für den vorgesehenen Verwendungszweck in eigener Verantwortung selbst zu prüfen. Im Übrigen gelten unsere allgemeinen Geschäftsbedingungen. Hiermit verlieren alle früheren, anderslautenden Regelungen ihre Gültigkeit.

Application / Processing

Suitable for many kinds of upholsteries and coverings in the modern and exclusive residential area, especially for cushions, corpus and wall coverings without too much mechanical wear. Also suitable for the use in the bags and leather goods industry. Problem-free processing in the usual procedures (sewing, tacking, sticking, nailing). Do not use solvent-based adhesives!

Other instructions

For durable joy with your **skai**[®] material, please clean regularly. Pollution by oil, fat and ink must be removed immediately. Clean with warm, mild soap lye and a micro-fibre cloth or a soft hand brush. Please, do not use solvents, chloride, abrasives, chemical cleaning agents or wax polishes. Please note that colorings by jeans or other textiles are excluded from any manufacturer's guarantee.

Special notes

Our written and spoken technical recommendations, which we provide based on our experience in accordance with the current state of knowledge, are nonbinding and do not constitute a legal relationship and are not additional obligations from the purchase agreement. They do not release the purchaser from checking our products for the intended use under his own responsibility. Otherwise, our general terms and conditions are in effect. All earlier provisions to the contrary hereby become invalid.



DIN EN ISO 9001
DIN EN ISO 14001
ISO/TS 16949



* nach den gesetzlichen Bestimmungen
prescribed by law