

# AWNING FABRICS

## Jacquards

Jacquards - Jacquards - Jacquards - Jacquards  
Jacquards - Mönstrade - Jacquards

Opera



# Constellation



The picture shows a 60 cm width



The picture shows a 60 cm width



**Constellation Blue**  
OPE J180 120



**Constellation Beige**  
OPE J179 120



The picture shows a 60 cm width



The picture shows a 60 cm width



**Constellation Grey**  
OPE J178 120




**Constellation Curry**  
OPE J177 120



The picture shows a 60 cm width



The picture shows a 60 cm width



**Brush Grey**  
OPE J171 120




**Brush Hemp**  
OPE J170 120



The picture shows a 60 cm width



The picture shows a 60 cm width




**Brush Carbon**  
OPE J172 120














**Brush Beige**  
OPE J169 120



The picture shows a 120 cm width



	 < 10%	 >10% < 20%	 > 20%	 < 10%	 >10% < 20%	 > 20%	 UV 100%	 UV 95%	 UV 90%		
OPE J062 120 Galet Grey	•			•			•			120cm/47,5"	81cm/32"
OPE J169 120 Brush Beige		•		•				•		120cm/47,5"	9cm/3,5"
OPE J170 120 Brush Hemp	•			•				•		120cm/47,5"	9cm/3,5"
OPE J171 120 Brush Grey		•		•				•		120cm/47,5"	9cm/3,5"
OPE J172 120 Brush Carbon	•			•			•			120cm/47,5"	9cm/3,5"
OPE J177 120 Constellation Curry		•		•				•		120cm/47,5"	61cm/24"
OPE J178 120 Constellation Grey		•		•				•		120cm/47,5"	61cm/24"
OPE J179 120 Constellation Beige		•			•			•		120cm/47,5"	61cm/24"
OPE J180 120 Constellation Blue		•		•				•		120cm/47,5"	61cm/24"



FR	% de chaleur solaire transmise	% de lumière passant à travers la toile	Protection UV	Equivalences Couleurs	Largeur du motif	Hauteur du motif
EN	% of solar heat transmitted	% of light penetration through the fabric	UV Protection	Colour Equivalents	Pattern width	Pattern height
DE	% Durchlaß von Hitze	% visuelle Transmission (ungehindert passierendes Sonnenlicht in %)	UV-Schutz	Entspricht	Breite Rapport	Höhe Rapport
NL	% doorgelaten zonnewarmte	% licht dat door het doek wordt doorgelaten	UV-Bescherming	Kleuren-Equivalenten	Patroon breedte	Patroon hoogte
ES	% de calor solar transmitido	% de luz que pasa a través de la lona	Protección UVA	Equivalencias de Colores	Ancho del motivo	Largo del motivo
IT	% di calore solare trasmesso	% di luce che attraversa il tessuto	Protezione UV	Corrispondenze Colori	Larghezza del motivo	Altezza del motivo
SV	% av solvärmen släpps igenom väven	% av solljuset släpps igenom väven	UV-Skydd	Färgmotsvarighet	Mönsterbredd	Mönsterhöjd
PL	% przenikanie promieniowania cieplnego	% przenikanie światła słonecznego przez tkaninę	Ochrona przed UV	Ekwiwalentne kolory	Szerokość wzoru	Wysokość wzoru





**Fade resistant**  
4-5/5 - ISO 105 B04



**Protects from the UV and Heat**



**Mold Resistant**



**Water & Stain Resistant**  
200mm - ISO 811 Schmerber



**Tear Resistant**



**Easy Care**



10 rue des Châteaux  
BP 109 - Z.I. La Pilaterie  
59443 Wasquehal Cedex - France  
www.dickson-constant.com  
contact@dickson-constant.com  
Tél. +33 (0)3 20 45 59 59

**Performance fabrics for**

Solar protection  
Outdoor furniture  
Indoor furniture  
Marine furnishing  
Flooring

